- 1. ALL DIMENSIONS ARE IN MILLIMETRES (mm) UNLESS NOTED OTHERWISE.

- CHANNELS, BENCHING ETC. SUBJECT TO IRISH WATER APPROVAL AND
- 5. STRUCTURAL DESIGN AND REINFORCEMENT DETAILS TO BE PROVIDED

- DESIGNED TO CARRY ALL LIVE AND DEAD LOADS, ALTERNATIVELY, APPROVED PRE-CAST CONCRETE ROOF SLABS MAY BE USED SUBJECT
- CONDITIONS SUBJECT TO APPROVAL FROM IRISH WATER.
- 9. 200mm ALL AROUND, 100mm DEEP CONCRETE PLINTH WITH PROTECTIVE STAINLESS STEEL METAL BAND AROUND COVERS IN GREEN AREAS.
- ON GROUND CONDITIONS WITHIN THE SITE. SHOULD ANTI FLOATATION MEASURES BE REQUIRED THEY SHALL BE SUBJECT TO APPROVAL
- 11. ALL CONCRETE TO BE IN ACCORDANCE WITH IS EN 206 : 2013.





MINIMUM MANHOLE DIAMETERS						
DIAMETER OF LARGEST PIPE IN MANHOLE (mm)	INTERNAL DIAMET MANHOLE (mn					
LESS THAN 375	1200					
375 TO 450	1350					
500 TO 700	1500					

						PLANNING	
-	07.07.2017	ISSUED FOR PLANNING.	JW	KMG	KMG	COPYRIGHT RESERVED - THIS DRAWING IS NOT TO BE USED FOR A PURPOSE OTHER THAN THAT FOR WHICH IT HAS BEEN ISSUED BY NICHOLAS O'DWYER LTD. NOR IS IT TO BE COPIED OR REPRODUCED	
REV	DATE	DESCRIPTION	D	С	А	IN ANY MANNER WITHOUT WRITTEN CONSENT.	VUNIE

	SCALES	DRAWN J.Whelan	CHECKED KMG	APPROVED KMG
	NTS @A1	DATE 07.07.2022	DATE 07.07.2022	DATE 07.07.2022
DETAILS	drawing №. 30429-NOD-01	REV -		



















































