

APPLICATION FOR OUTDOOR EVENT LICENCE FOR
MDC MUSIC CONCERT AT DÚN LAOGHAIRE HARBOUR
On 31st May and 1st and 2nd June 2019

LEGISLATIVE CONTEXT

- i) Planning and Development Act, 2000, (as amended), Part XVI;
- ii) Planning and Development Regulations, 2001, (as amended).

Part XVI of the Planning and Development Acts, 2000, (as amended), provides for the requirement of a licence for the holding of outdoor events. Section 231 refers to Regulations relating to matters of procedure and administration for applications and the granting of licences. An event is defined in Section 229 of the Act as:

- (a) "a public performance which takes place wholly or mainly in the open air or in a structure with no roof or a partial, temporary structure and which is comprised of music, dancing, displays of public entertainment or any activity of a like kind, and"
- (b) "any other event as prescribed by the Minister under section 241".

Article 183 of the Planning and Development Regulations, 2001, (as amended) defines an event as being "an event at which the audience comprises 5,000 or more people shall be an event prescribed for the purposes of Section 230 of the Act."

APPLICATION

Dún Laoghaire-Rathdown County Council received an application for an Outdoor Event Licence from MCD Music Productions on the 28th February 2019. It is proposed that a series of Outdoor Music Events will be held on 31st May, 1st and 2nd June, 2019 at Dún Laoghaire Harbour.

The applicant has submitted a Draft Event Management Plan (as of 28th February 2019), with respect to the proposed event.

Outdoor Music Event

The event will be held in the grounds of the former Dún Laoghaire Ferry Port. There will be one main stage located to the northwest corner of the site. The Applicant states that the maximum anticipated attendance each day is 8,000 people. The audience profile has not been indicated, however it is conformed that under 16s must be accompanied by a parent or guardian attending the event.

At the pre-planning meeting the Applicant stated that it is envisaged that the concert will be for an older demographic.

The gates will open at 16:00hrs. each day. The event will finish at 23:00hrs on Friday night and Saturday night with the event finishing at 22:45hrs on the Sunday night.

The proposed Acts include 'Deacon Blue', 'Basement Jaxx', 'Stereo MCS', 'Madness', 'Lightning Seeds', 'Something Happens', 'Primal Scream', 'The Charlatans', and 'Fun Lovin' Criminals'.

Other attractions will include a bar and concession stands.

The Draft Event Management Plan (as of 28th February 2019) submitted, notes that the Draft Event Management Plan will be prepared in accordance with the appropriate Codes of Practice.

Details with respect to the Draft Production Schedule are provided in the Appendices (Appendix B) of the Draft Event Management Plan (as of 28th February 2019).

The Draft Management Plan includes the following sections:

0. Introduction & Event Management Strategy
1. Event Safety Strategy
2. Site Structures and Facilities
3. Medical Facilities
4. Sanitary Accommodation
5. Noise Monitoring
6. Security Arrangements
7. Traffic Management
8. Environmental Monitoring Programme / Clean-Up Remedial Works
9. Emergency Plans in the event of fire or other emergency.

The Event Management Plan also includes the following Appendices:

Appendix A: Drawing

Appendix B: Draft Production Schedule.

A Statement of Compliance from the Applicant was submitted with the application for the event licence. This statement is dated the 25th February, 2019.

A letter of consent (dated 7th February, 2019) was also submitted with the application for the event licence from Dún Laoghaire-Rathdown County Council i.e. Dún Laoghaire Harbour Section, to stage the event.

It is considered that the application complies with requirements set out in Article 187 of the Planning and Development Regulations, 2001, (as amended) in relation to the form and content of the application.

PRE-APPLICATION CONSULTATION

Article 186(1)(A) of the Planning and Development Regulations, 2001, (as amended), states that 'A local authority shall not accept an application for a licence for a proposed event unless a pre-application consultation meeting under article 184

has taken place in relation to the event during the 12 month period prior to the date of the event to which the application relates or, in the case of an application for a number of events at a venue in a period not exceeding one year, 12 months prior to the holding of the first event'.

A pre-application meeting was held in accordance with the above Article in the offices of the Local Authority on 1st February 2019.

APPLICATION SUBMISSION

The Planning and Development (Amendment) Regulations, 2015, came into operation on 1 October 2015.

Therefore, with regard to the above amendment, Article 186 (1) of the Planning and Development Regulations, 2001, (as amended) provides as follows: -

"An application must be made at least 13 weeks prior to the date for the holding of the event to which the application relates or, in the case of an application for a number of events at a venue in a period not exceeding one year, at least 13 weeks prior to the holding of the first event."

Note: The application was lodged on the 28th February, 2019, and is, therefore, in excess of 13 weeks prior to the date of the first proposed event on the 31st May 2019.

LOCATION OF EVENT

The event will be held at Dún Laoghaire Harbour in the centre of Dún Laoghaire town. The proposed site comprises land to the north of the disused Ferry Terminal Building and the associated car parking area. The site area comprises a hardsurfaced area.

ZONING AND OBJECTIVES

In the Dún Laoghaire-Rathdown County Development Plan, 2016-2022, the event site is zoned 'W', with a specific objective-"*To provide for waterfront development and harbour related uses*".

The subject site is also located within a Candidate Architectural Conservation Area and within the boundary of the proposed Dún Laoghaire and Environs Local Area Plan. The site is also located within the boundary of the Dún Laoghaire Urban Framework Plan (Appendix 12 of the County Development Plan).

There are a number of Specific Local Objectives on the subject site as follows:

- No. 13: '*To facilitate the continued development of the Harbour, ensuring at all times that the historic significance and natural beauty of this public amenity is protected, in advance of the preparation of the Dún Laoghaire and Environs Local Area Plan (LAP). Following the adoption of the Dún Laoghaire*

and Environs LAP, the future development of the Harbour will thereafter be guided by the principles and objectives of the Plan and that of Policy E14'.

- No. 143: *'To encourage and support the Dún Laoghaire Harbour Company in the establishment of a diaspora centre within the Dún Laoghaire Harbour Area'.*
- No. 156: *'In accordance with National Policy, the Council shall, within the relevant planning frameworks, formulate and implement, where appropriate and applicable, a plan for the future development of Dún Laoghaire Harbour and its curtilage'.*

It is considered that the licence complies with the objectives and land use zoning as set out in the Dún Laoghaire-Rathdown County Development Plan, 2016-2022.

WRITTEN NOTIFICATION & CONSULTATION WITH PRESCRIBED BODIES

Article 189 (1) of the Planning and Development Regulations, 2001, (as amended), requires that the licence application be circulated to certain prescribed bodies. The Council submitted copies of the application to:

1. Chief Superintendent, An Garda Síochána.
2. Fire Officer, Dublin Fire Brigade, H.Q.
3. Principal Environmental Health Officer, Environmental Health Service, HSE Dublin Mid Leinster.
4. Chief Emergency Management Officer, Health Service Executive, Dublin North East.
5. Environmental Health Officer, Air and Noise Unit, Fingal County Council.
6. Environmental Health Officer, HSE Environmental Health Department.
7. Head Office, Iarnród Éireann – Irish Rail.
8. Asset Strategy and Sustainability, Irish Water.
9. Environmental Health Officer, East Coast Area Health Board.
10. Environmental Health Officer, HSE Dublin Mid Leinster.

CONSULTATION WITH INTERNAL DEPARTMENTS

1. Dún Laoghaire Harbour Section, Dún Laoghaire-Rathdown County Council.
2. Senior Executive Engineer, Drainage Planning, Municipal Services Department, Dún Laoghaire-Rathdown County Council.

As per the Planning and Development Regulations, 2001, (as amended), the Council gave notice of the proposed Application for Outdoor Events Licence for the Proposed Outdoor Music Event on 31st May, 1st and 2nd June 2019 to the aforementioned

prescribed bodies on 28th February 2019, and indicated that submissions or observations would be accepted up to and including Thursday, 21st March 2019.

CONTACT DETAILS FOR PRESCRIBED BODIES AND INTERNAL DEPARTMENTS:

Prescribed Bodies	Address
1. Mr. Martin Fitzgerald, An Garda Síochána.	34/35 Corrig Avenue, Dún Laoghaire, Co. Dublin.
2. Mr. Keith Brunkard, Fire Officer, Dublin Fire Brigade.	Dublin Fire Brigade H.Q., 165-169 Townsend Street, Dublin 2.
3. Mr. Kieran Carberry, Principal Environmental Health Officer, Environmental Health Service, HSE Dublin Mid-Leinster.	8 Corrig Avenue, Dún Laoghaire, Co. Dublin.
4. Mr. Brendan Lawlor, Chief Emergency Management Officer, Health Service Executive.	Health Service Executive, Dublin North East, Phoenix Hall, St. Mary's Hospital Campus, Phoenix Park, Dublin 20.
5. Mr. George Sharpson, Environmental Health Officer.	Air & Noise Unit, Fingal County Council, Grove Road, Blanchardstown, Dublin 15
6. Ms. Linda McDonald, Health Service Executive, Environmental Health Department.	12 Northumberland Avenue, Dún Laoghaire, Co. Dublin.
7. Mr. Keith O'Connor, Iarnród Éireann – Irish Rail.	Iarnród Éireann – Irish Rail, Head Office, Connolly Station, Dublin 1
8. Ms. Suzanne Dempsey, Asset Strategy and Sustainability.	Irish Water, Colvill House, 24-26 Talbot Street, Dublin 1.
9. Mr. Sean Mrozek, Environmental Health Officer, Tobacco Control unit/Sanitary Services.	8 Corrig Avenue, Dún Laoghaire, Co. Dublin.
10. Mr. Barry O'Neill, Health Service Executive, Environmental Health Department.	12 Northumberland Avenue, Dún Laoghaire, Co. Dublin.
Internal Departments	Address
1. Mr. Tim Ryan and Ms. C. Hanaphy	Dún Laoghaire-Rathdown County Council, County

Dún Laoghaire Harbour Section .	Hall, Marine Road, Dún Laoghaire, Co. Dublin.
2. Mr. Bernard Egan, Senior Executive Engineer, Drainage Planning, Municipal Services Department.	Dún Laoghaire-Rathdown County Council, County Hall, Marine Road, Dún Laoghaire, Co. Dublin.

THE FOLLOWING COMMENTS WERE RECEIVED FROM THE PRESCRIBED BODIES/INTERNAL DEPARTMENTS:

1. Chief Fire Officer - Dublin Fire Brigade

A written response was received (dated 7th March 2019), which details a number of conditions on which the granting of a licence should be based.

2. Environmental Health Officer – Health Service Executive

A written response was received (dated 7th March 2019), which details a number of conditions on which the granting of a licence should be based.

3. Senior Executive Engineer - Drainage Planning, Municipal Services Department

A written response was received (dated 5th March 2019), stating no objection to the event.

4. Asset Strategy and Sustainability, Irish Water.

A written response was received (dated 13th March 2019), which details a number of conditions on which the granting of a licence should be based.

5. Environmental Health Officer, Air and Noise Control Unit.

A written response was received (dated 20th March 2019), which details a number of conditions on which the granting of a licence should be based.

6. Principal Environmental Health Officer, Environmental Health Service, HSE Dublin Mid Leinster

A written response was received (dated 21st March 2019), which details a number of conditions on which the granting of a licence should be based.

NO SUBMISSIONS OR OBSERVATIONS WERE RECEIVED FROM THE FOLLOWING:

- Chief Superintendent, An Garda Síochána.
- Environmental Health Officer, HSE Environmental Health Department.
- Head Office, Iarnród Éireann – Irish Rail.
- Dún Laoghaire Harbour Section, Dún Laoghaire-Rathdown County Council.
- Environmental Health Officer, East Coast Area Health Board.
- Environmental Health Officer, HSE Dublin Mid Leinster.

THIRD PARTY WRITTEN SUBMISSIONS / OBSERVATIONS

One third party submission / observation was received within the statutory prescribed period. The following items were raised:

- The quality of the sound of similar events last summer was not good.
- Dumping of plastic bottles on the adjoining roads as a result of similar events last summer.
- An improved plan on the management of the collection of cans, bottles, plastic bottles, brought by the crowds should be put in place. Recycling bins should be in situ and there should be a bigger emphasis on recycling rather than being put into the Council rubbish bins.
- A ban on the distribution of plastic cups and straws at the bars at the event.
- Recyclable paper/carboard cups should be only used instead of plastic.
- As the event is based beside the sea, there should be a huge emphasis on the prevention of adding to sea/beach pollution.

These comments are noted and are taken into consideration in the responses below.

Planning Authority Response:

- As per the report received from the Environmental Health Officer- Air and Noise Unit, all conditions with respect to noise levels will be attached.
- As per Section 8.4 Litter/Waste Clean Up of the Draft Event Management Plan the Applicant has stated that "prior to the event details of the specialist contractors responsible for the litter/waste cleanup shall be submitted to the Planning Authority". In this regard no glass will be allowed on site and a record shall be kept of all recycling.
- Furthermore, as per Section 8.4 Litter/Waste Clean Up of the Draft Event Management Plan "the timeframe for the completion of the clean-up operation will be agreed with Dún Laoghaire-Rathdown County Council".

DECISION ON APPLICATION

Section 231 (3) (a) of the Planning and Development Acts, 2000 (as amended) states that: -

"Where an application for a licence is made in accordance with regulations under this section, the local authority may decide to grant the licence, grant the licence subject to conditions as it considers appropriate or refuse the licence."

SUMMARY AND RECOMMENDATION

The Local Authority have had regard to the pre-application consultation, the information relating to the application furnished to it by the Applicant in accordance with the Planning and Development Act, 2000, (as amended) and the Planning and Development Regulations, 2001, (as amended). It is considered that the application for an event licence complies with the requirements of the Planning and Development Act and Regulations. It is recommended that the outdoor event licence is to be granted, subject to the following conditions, which accord with Section 231, Sub Section 3 and 4 of the Planning & Development Act, 2000, (as amended).

CONDITIONS

1. The Outdoor Events Licence shall be for a maximum of 3 days for the weekend event MCD Music Concert, which shall be held from 16.00hrs to 23.00hrs on the following dates: Friday 31st May 2019 and Saturday 1st June 2019 and from 16.00hrs to 22.45hrs on Sunday 2nd June 2019. The Outdoor Events Licence shall be for a maximum capacity of 8,000 people each day for the event. All plans and proposals submitted, as part of the application shall be implemented in full save as may be required by other conditions attached hereto.

2. An Event Management Plan shall be formally agreed with Dún Laoghaire-Rathdown County Council, Dublin Fire Brigade H.Q., Health Service Executive and An Garda Síochána - a minimum of two weeks before the first event and written confirmation of agreement shall be submitted to the Council prior to commencement of the event. Subsequently, the agreed Event Management Plan shall be implemented in full.

DUBLIN FIRE BRIGADE

3. The finalised Event Management Plan to be submitted to Dublin Fire Brigade a minimum of two weeks (10 working days) in advance of the event and finalised drawings/details to be submitted a minimum of two weeks (10 working days) in advance of the event to include:

(i) Site plan/map to be grid lined so an individual can quickly relay the exact location of any issues arising.

(ii) Site plan/map should indicate the location of hydrants in front of the site on the street.

(iii) Confirmation that all hydrants have been checked and tested.

(iv) The stage location shall be as per submitted drawing no 18515-001 i.e. Site Layout Plan.

(v) Gas Mobile Catering units shall comply with new IS 820 2019, Regulations.

(vi) Emergency lighting must comply with I.S 3217:2013+A1:2017, Regulations.

(vii) The use of foam extinguishers shall be prohibited for this type of event. The Applicant is advised that for a Class A fire, a water extinguisher is sufficient.

ENVIRONMENTAL HEALTH OFFICER – HEALTH SERVICE EXECUTIVE

4. The Applicant must ensure that there is an adequate number of sanitary accommodation provided for food workers. The sanitary accommodation must be separate to facilities for the attendees.

5. A list of the food vans/stalls must be provided to the Environmental Health Officer – Health Service Executive (Environmental Health Service, Silverstone House, Ballymoss Road, Sandymount Industrial Estate, Dublin 18) a minimum of two weeks (10 working days) in advance of the event in order to check registration details of same.

LW

The Event Management Plan shall include provision for a rescue boat in the Harbour during the events.

ASSET STRATEGY AND SUSTAINABILITY – IRISH WATER

6. Waste water collected at temporary sanitary facilities must be disposed of in an appropriately licensed waste or waste water treatment facility. If the intended disposal route is to import the waste water to an Irish Water Waste Water Treatment Plant then the Irish Water imported waste water application process must be adhered to by the Event Manager. In this regard, the Event Manager must apply to Irish Water in advance of any imports being received. An Application form can be requested by emailing imports@irishwater.ie.

7. The Event Manager should endeavor to ensure that any temporary food outlets are operated appropriately in relation to the disposal of oils, fats and greases in order to minimise impacts on the waste water collection and/or treatment system.

HEALTH SERVICE EXECUTIVE (ENVIRONMENTAL HEALTH OFFICER, Air and Noise Unit)

8. Noise Control

(a) The music noise level shall not exceed 72 Db LAeq over a fifteen – minute period, at one (1) metre from the façade of any noise sensitive premises for the events being held.

(b) A qualified and experienced noise control consultant, shall be appointed to liaise between the event promoter, the sound engineer and the Environmental Health Officer for Noise Pollution on all matters relating to the noise control prior to and during the event.

(c) The appointed noise control consultant shall monitor the music noise levels at 30 minute intervals to ensure noise levels are not exceeded. The Environmental Health Officer (s) shall have access to the results of all the monitoring at any time and a copy of these shall be forwarded to the Environmental Health Officer(s) within three (3) working days after the event.

(d) Specific noise levels at the nearest noise sensitive area during rehearsals, sound checks and the event, shall be complied with.

(e) The event shall not result in noise vibrations that would give reasonable cause for annoyance to any person in any residence, adjoining unit or public place in the vicinity.

(f) Compliance with the specified start time for each event held as follows:

- All events to finish no later than 22.45hrs on Sunday and 23:00hrs on Friday and Saturday.
- No activity shall be carried out that is likely to cause a noise nuisance to residents such as dismantling the stage, movement of equipment, etc. after 23:00hrs.

HEALTH SERVICE EXECUTIVE (PRINCIPAL ENVIRONMENTAL HEALTH OFFICER)

9. Sanitary Accommodation:

(a) The numbers of sanitary accommodation (including a minimum of 2 disabled toilets) must comply with the standards set out in the Code of Practice for Safety at Outdoor Events (Department of Education 1996). The following is required:

	WC	URINAL
	Units: No. of Persons	Units: No. of Persons / M: Lengths
Female	10 WC per 1,000	-
Male	2 WC per 1,000	8: 1,1000 /or 3.6m PER 1,1000

Toilet blocks must be placed in suitable locations that are easily accessible. Signage of sufficient size stating "Sanitary Accommodation" or "Toilets" shall be erected in all areas where the public may clearly view said.

(b) All sanitary facilities must be in situ and in proper working order a minimum of 24 hours prior to the commencement of the outdoor event and shall be accessible for inspection by the Environmental Health Service.

(c) It is recommended that no non-flush chemical toilets are to be used.

(d) Separate sanitary facilities (including wash hand basins and hand drying facilities) for food workers must be provided in addition to, and separate from, sanitary facilities for other users.

(e) With regard to the provision of wash hand basins, the following is required and adequate signage must be in place to indicate the location of the wash hand basins:

- Females: 1 Wash Hand Basin per 4 WC.
- Males: 1 Wash Hand Basin per 5 Sanitary Units.

(f) There must be wall-mounted receptacles, which dispense liquid antibacterial gel. These must be supplied in sufficient numbers outside each block of toilets and they must be in proper working order for the duration of the outdoor events. The gel shall be replaced as required. Signs of sufficient size stating "anti-bactericidal gel" must be erected in areas where the public can see said.

(g) Cleaning staff must be supplied in sufficient numbers and trained commensurate with their duties. A copy of the Cleaning Company's check sheet (stating that all toilets have been cleaned and suitable washing facilities have been provided) must be supplied to the Environmental Health Service 24 hours prior to the commencement of the outdoor event. In addition, a cleaning check sheet is required to be drawn up by the Cleaning Company. It must be filled in and submitted to the Environmental Health Service for each day of the event. It must state the time, method of cleaning, the toilet block and person who cleaned each block.

(h) Cleaning staff must be supplied with adequate personal protective equipment (PPE).

(i) The requirements of the Drainage Section of Dún Laoghaire-Rathdown County Council in relation to the disposal of wastewater from the sanitary accommodation and urinals shall be adhered to.

(j) The contact details of the key personnel of the Cleaning Company (on duty for each day) must be supplied and submitted to the Environmental Health Service.

10. Drinking Water:

(a) Drinking water must be in compliance with the European Union (Drinking Water) Regulations 2014. A Drinking Water Safety Management Plan must be contained within the Event Management Plan and this Plan shall include Microbiological and Chlorine sampling of the proposed water source. Microbiological sampling must be carried out of the mains water public supply to confirm that the drinking water complies with the above regulations. This sampling must be taken a minimum of seven days before the date of the first event. This time period is to allow corrective action and re-sampling to take place if there are unsatisfactory results.

(b) Microbiological sampling must also be taken from the drinking water outlets (after the pipework/distribution system has been flushed) prior to the commencement of the outdoor event. Results of all water analysis must be sent to the Environmental Health Service prior to the commencement of the event.

(c) A Drinking Water Contingency Plan must be prepared and implemented in the event of drinking water contamination or an insufficient supply of drinking water. Any serious incidents shall be notified immediately to Irish Water and Dún Laoghaire-Rathdown County Council. The use of an emergency potable water back-up supply is advisable. A copy of the Drinking Water Contingency Plan must be submitted to the Environmental Health Service.

(d) If temporary pipe connections are to be installed for the supply of drinking water, the water distribution network should be super-chlorinated and flushed prior to use in order to ensure that the network is sanitised and suitable for the distribution of potable water. A log of this should be documented and sent to the Environmental Health Service.

(e) Chlorine testing should be taken throughout each day of the event, at the point of use locations around the site to indicate that adequate levels of chlorine are reaching all areas of the site. The chlorine results should be documented and sent to the Environmental Health Service throughout the event. If low levels of chlorine are recorded, then remedial action should be taken as a matter of priority.

(f) A minimum of one drinking water supply point shall be provided per thousand persons attending each event. The drinking water facilities should be dispensed through spring-loaded taps and should have adequate waste drainage. A suitable non-slip surface that is adequately drained must be provided at each location. Adequate signage must be put in place to indicate drinking water supply points.

11. Tobacco Control:

(a) All internal areas/enclosed structures to have comprehensive no smoking signs displayed, including the name of the proprietor or event organiser and an onsite contact name and telephone number and email so that the public can make contact in case of complaints. This includes all temporary structures such as tents, prefabs

and vehicles i.e. catering tents, food vans, vehicles, first aid tents, administration offices, Pop up Dance/Disco areas, bars, kiosks, stalls, etc.

(b) Any area used for smoking must be verified by this office as suitable for exemption 48 hours before the concerts start. It is up to the event organiser to contact the Tobacco Control Environmental Health Officers to arrange a pre-event inspection and to make any necessary modifications within that time frame to the structure before the start of the concert. Areas/structures that are deemed exempted under current legislation and acceptable for use as smoking areas are to be clearly indicated and signage directing people to these areas clearly displayed.

(c) Security personnel to be briefed before the concerts as to their responsibilities in preventing people smoking in enclosed areas. This includes casual security personnel. This must be written into their list of duties. They must be responsive to any request by the Environmental Health Officer on duty to prevent an individual from smoking in any enclosed area.

(d) All working personnel to be briefed including casual labour regarding their responsibilities under the Tobacco Acts. Again, this should be written into their list of duties.

(e) A key security person(s) to be responsible directly for enforcement of the Tobacco Acts at the event and the Environmental Health Officers to be able to contact them via phone during the event in case of breaches. The details of such security personnel to be given in advance to the Tobacco Control Section in Dún Laoghaire at the pre-event meetings. Any changes of personnel or contact details to be notified to the lead Environmental Health Officer at Silverstone House, Ballymoss Road, Sandyford Industrial Estate, Dublin 18, 24 hours prior to the concert taking place.

(f) All visiting artists, performers and staff to be told of their responsibility under the Tobacco Acts and that they cannot smoke inside the buildings, etc.

(g) Any marquee style tent where concerts are held to have allocated security staff in that area to prevent smoking occurring in that area and to ensure that the persons smoking do not contravene the Acts.

(h) Regular automatic announcements to be made in any area as described in Condition 11 (d) and additional no smoking signage positioned above head height and clearly visible to be displayed in that area.

(i) Tobacco control responsibility & duties to be incorporated into the Event Management Plan.

(j) The proposed method of preventing breaches/plan of action to be discussed at pre-event meetings. Means of preventing patrons and staff smoking and obtaining identification from them for prosecution purposes to be agreed subject to the legal procedures outlined in the Tobacco Acts. In addition, Section 47(3) of the Acts states that the occupier, manager or any other person for the time being in charge of the place where the contravention occurs shall be guilty of an offence.

(k) Any stall, shop or kiosk must be registered for the sale of Tobacco Products and comply with all current legislation regarding display, offering for sale and age checks to prevent under age sales.

12. Food Control:

The Principle Environmental Health Officer, Food Control, located at the Environmental Health Service, Silverstone House, Ballymoss Road, Sandyford Industrial Estate, Dublin 18, must be consulted with. Requirements set out shall be adhered to.

HEALTH SERVICE EXECUTIVE – EMERGENCY MANAGEMENT OFFICER

13. The Event Organiser shall consult with the Chief Emergency Management Officer, Health Service Executive Dublin North East prior to the event in order to agree/ approve the event specific medical plan which will form part of the Event Management Plan and shall adhere to the requirements of the Health Service Executive in this regard.

TRAFFIC MANAGEMENT GENERAL

14. The Event Traffic Management Plan shall be agreed with An Garda Síochána in consultation with Dublin Bus, Irish Rail, Transport Infrastructure Ireland (TII) and Dún Laoghaire-Rathdown County Council.

15. Non-compliance with any of the above conditions shall result in a fine not exceeding €10,000 for each and every occurrence.

Prepared By:




Emma Nevin

Executive Planner

2/5/2019

Date

Checked By:



Julienne Brown

Senior Executive Planner

2/05/2019

Date

Endorsed By:



Liam Walsh

Senior Planner

2-5-19

Date