

Tag Number	Species Name	Age Class	Vigour	Comments	Preliminary Recommendations	Retain/Remove for Development	Category	Longterm Potential	DBH (mm)	Height (m)	Spread (m) N, E, S, W
701	<i>Aesculus hippocastanum</i> Horse chestnut	Mature	Fair	Tree located 600mm at base from boundary wall. Heavy sucker growth at base. Tree has previously been topped and heavily reduced. Foliage in crown is now sparse. Multiple sites of potential decay at location of limb removal. Extents of compartmentalisation and decay are not able to be assessed from the ground. Further investigation required to assess suitability.	Conduct aerial assessment for decay.	Retain	B3	15-20	750	16	6,6,4,4
702	<i>Acer pseudoplatanus</i> Sycamore	Mature	Good	Straight stemmed tree with strong ivy growth on stem into lower canopy. Some minor deadwood throughout crown. Small limb at 3 meters south has wire girdling it.	Remove ivy and remove wire girdling limb. Deadwood crown.	Retain	B2	>40	600	14	4,4,4,4
703	<i>Tilia x europaea</i> Common Lime	Mature	Good	Straight stemmed tree which becomes multi-stemmed at 4 meters. One hanger present to south. Light ivy present on stem. Some tight unions present in upper canopy. No other visible defects.	Remove hanger and deadwood crown. Remove ivy.	Retain	B3	>40	620	15	5,4,5,4
704	<i>Aesculus hippocastanum</i> Horse chestnut	Mature	Poor	Tree situated approximately 200mm from boundary wall at roadside. Evidence of bleeding canker on stem area of dysfunctional wood and cracked bark at one meter north. Area is substantially hollow sounding when probed with hammer. Crown is generally sparse.	Use tomography to assess extent of decay caused by bleeding canker and consider future removal.	Retain	C2	15-20	700	14	6,4,4,4
705	<i>Acer pseudoplatanus</i> Sycamore	Mature	Good	Twin stemmed from 3m with good union. Light ivy cover on stem. No other visible defects.	Cut ivy.	Retain	B1	>40	700	20	8,6,7,5
706	<i>Acer pseudoplatanus</i> Sycamore	Mature	Good	Straight stemmed tree with light ivy growth on stem. No visible defects.	Cut ivy.	Retain	B1	>40	600	20	4,4,4,4
707	<i>Tilia x europaea</i> Common Lime	Mature	Good	Straight stem with light lean towards roadside no visible defects but mild ivy cover on stem.	Cut ivy.	Retain	B2	>40	240	12	4,2,3,4
708	<i>Pittisporum ssp.</i> Cheesewood	Early Mature	Good	Multi-stem specimen from base with some basal suckers present and no visible defects.	No action necessary.	Retain	C1	>40	200	6	2,2,2,2
709	<i>Fagus sylvatica</i> Beech	Mature	Good	Mature specimen with heavy ivy cover from base of tree into canopy. No visible defects.	Cut ivy.	Retain	A2	>40	900	20	7,6,7,6
710	<i>Scandosorbus intermedia</i> Swedish whitebeam	Early Mature	Good	Multi-stemmed specimen situated in hedge to rear of car park with no visible defects.	No action necessary.	Retain	C1	>40	200	6	3,3,2,2
711	<i>Eucalyptus ssp.</i> Eucalyptus	Early Mature	Fair	Twin stemmed specimen from base situated in hedge. Build up of compost material at base of tree. Crown is somewhat sparse in places.	Remove pile of compost from base.	Retain	C1	15-20	250	18	2,4,4,4
712	<i>Prunus cv</i> Cherry cultivar	Early Mature	Fair	Tree is largely overwhelmed by ivy growth which extends into canopy. Remaining canopy is sparse to east. Areas of dysfunctional wood at point of limb removal to west.	Cut ivy.	Retain	C2	10-15	250	5	1,4,2,3
713	<i>Prunus cv</i> Cherry cultivar	Early Mature	Good	Straight stemmed specimen growing in hedge which is subdominant to Swedish white beam adjacent. No visible defects.	No action necessary.	Retain	B3	20-30	180	7	3,2,3,3
714	<i>Scandosorbus intermedia</i> Swedish whitebeam	Early Mature	Good	Multi-stemmed specimen with light ivy cover and no visible defects.	Cut ivy.	Retain	B2	>40	300	10	4,4,4,4

Tag Number	Species Name	Age Class	Vigour	Comments	Preliminary Recommendations	Retain/Remove for Development	Category	Longterm Potential	DBH (mm)	Height (m)	Spread (m) N, E, S, W
715	<i>Prunus cv</i> Cherry cultivar	Early Mature	Poor	Multi-stemmed individual with strong ivy cover on stem and into lower canopy. Tree is subdominant to neighbouring trees. Leaf shot hole is present in canopy.	Cut ivy.	Retain	B3	Oct-15	280	6	1,3,4,2
717**	<i>Scandosorbus intermedia</i> Swedish whitebeam	Early Mature	Good	Multi-stemmed specimen with ivy cover on stem into lower canopy and no visible defects.	Cut ivy.	Retain	B3	20-30	250	8	2,5,5,3
718	<i>Betula pendula</i> Birch	Mature	Good	Well formed tree with open crown and no defects.	No action necessary.	Retain	B3	30-40	300	6	4,4,4,4
719	<i>Sorbus aucuparia cv</i> Rowan cultivar	Early Mature	Good	Straight stemmed tree with basal suckers present. Central stem has broken and decayed leaving large area of dysfunctional wood which does not appear to extend very much. Some deadwood is present throughout the crown. No other visible defects.	Dead wood.	Retain	C1	20-30	310	8	3,3,4,3
720	<i>Prunus cerasifera</i> Plum cherry	Early Mature	Fair	Multi-stemmed tree situated in hedge with ivy growth into upper canopy and a somewhat sparse canopy. Bracket fungus visible to north at 1.5 meters and 2 meters. No other visible defects.	Cut ivy.	Retain	B3	Oct-15	420	8	3,4,4,4
721	<i>Prunus cv</i> Cherry cultivar	Early Mature	Good	No visible defects.	No action necessary.	Retain	B3	30-40	180	6	3,2,2,2
722	<i>Scandosorbus intermedia</i> Swedish whitebeam	Early Mature	Good	Multi-stemmed tree from base with some crossing branches and no other visible defects.	Cut ivy.	Retain	B3	20-30	300	10	4,4,4,4
723	<i>Prunus cv</i> Cherry cultivar	Early Mature	Good	Young specimen with no visible defects.	No action necessary.	Retain	B3	30-40	180	6	2,3,3,2
724	<i>Pittisporum ssp.</i> Cheesewood	Early Mature	Good	Large shrubby specimen with no visible defects.	No action necessary.	Remove	B3	30-40	180	6	1,2,2,2
725	<i>Prunus cv</i> Cherry cultivar	Early Mature	Fair	Tree which has been grafted. Has area with bacterial oozing on stem. Canopy is somewhat sparse. No other visible defects.	No action necessary.	Retain	B1	20-30	320	5	3,4,3,3
726	<i>Juglans regia</i> Common walnut	Early Mature	Good	Straight stemmed tree with some deadwood in lower canopy likely due to mechanical damage. No other visible defects.	Dead wood.	Retain	A2	30-40	360	8	5,6,6,4
727	<i>Prunus cv</i> Cherry cultivar	Mature	Poor	Mature cherry tree with very sparse canopy cover and likely some damage to surface roots and base due to mowing and strimming.	No action necessary.	Remove	B2	15-20	280	3	4,4,5,6
728	<i>Prunus cv</i> Cherry cultivar	Mature	Good	Straight stemmed tree which is twin stemmed from 1.5 meters with a very tight union there are many crossing branches in this tree otherwise very healthy with no visible defects.	Undertake formative pruning	Remove	B1	20-30	280	6	2,4,4,5
729	<i>Acer pseudoplatanus</i> Sycamore	Mature	Good	Twin stemmed tree from base with large combined canopy. Strong unions present and no visible defects.	No action necessary.	Remove	A3	>40	490	18	6,6,6,6
730	<i>Prunus cv</i> Cherry cultivar	Mature	Good	Tree has two limbs only. Central leader has broken away and left an area of dysfunctional wood and decay which extends to centre of tree and appears hollow when probed with hammer. Otherwise no defects.	No action necessary.	Remove	C1	10	420	4	1,4,3,5
731	<i>Scandosorbus intermedia</i> Swedish whitebeam	Mature	Good	Many stems beginning out of 1.5 meters with close tight unions, otherwise no visible defects.	No action necessary.	Remove	B3	20-30	480	8	4,4,4,4
732	<i>Prunus cv</i> Cherry cultivar	Mature	Good	what forms specimen with one area of dysfunctional wood at location of branch removal 2 meters South. no other visible defects	No action necessary.	Remove	B2	20-30	480	8	5,5,3,2
733	<i>Eucalyptus ssp.</i> Eucalyptus	Mature	Good	Straight stemmed tree with no visible defects.	No action necessary.	Remove	B1	>40	500	20	5,4,4,5
734	<i>Cupressus macrocarpa</i> Monterey cypress	Mature	Good	Twin stemmed tree from 2 meters with no visible defects.	No action necessary.	Retain	B2	>40	1020	20	1,5,7,8
735	<i>Acer platanoides</i> Norway maple	Mature	Good	Twin stemmed from 3 m with wide union and no other visible defects.	No action necessary.	Retain	A3	>40	790	20	6,5,6,6

**where numbers are non-sequential, tags were misplaced and does not represent a missing tree

Tag Number	Species Name	Age Class	Vigour	Comments	Preliminary Recommendations	Retain/Remove for Development	Category	Longterm Potential	DBH (mm)	Height (m)	Spread (m) N, E, S, W
736	<i>Cupressus macrocarpa</i> Monterey cypress	Mature	Good	Tree has lean of approximately 85 degrees to north and then becomes vertical in upper canopy. There is minor deadwood throughout upper canopy due to light suppression. No other visible defects.	Dead wood.	Retain	B1	>40	1280	20	12,9,6,9
737	<i>Prunus cerasifera</i> Plum cherry	Young	Good	Straight stemmed specimen with crude pruning cuts which are flush to stem at 1m north. No other visible defects.	No action necessary.	Retain	C1	15-20	80	4	2,2,2,2
738	<i>Prunus cv</i> Cherry cultivar	Mature	Good	Grafted cherry specimen where central leader has failed and a large area of dysfunctional wood remains. Very hollow sounding when probed with hammer likely that decay extends into stem at around 2m. Otherwise tree has no defect.	No action necessary.	Retain	B2	15-20	560	8	5,4,5,5
739	<i>Pinus nigra</i> Austrian pine	Early Mature	Good	Straight stemmed tree with no visible defects.	No action necessary.	Retain	B1	>40	340	10	3,3,3,2
740	<i>Chamaecyparis lawsonia cv</i> Lawson cypress cultivar	Early Mature	Good	Tree situated by pathway with some crude pruning cuts. No visible defects.	No action necessary.	Retain	B2	20-30	140	8	1,1,2,0.5
741	<i>Chamaecyparis lawsonia cv</i> Lawson cypress cultivar	Early Mature	Good	Tree situated by pathway with some crude pruning cuts. No visible defects.	No action necessary.	Retain	B2	20-30	140	8	1,1,2,0.5
742	<i>Chamaecyparis lawsonia cv</i> Lawson cypress cultivar	Early Mature	Good	Tree situated by pathway with some crude pruning cuts. No visible defects.	No action necessary.	Retain	B2	20-30	140	8	1,1,2,0.5
743	<i>Thuja cv</i> Arborvitae	Early Mature	Good	Twin stemmed tree with light ivy present on stems. Somewhat sub-dominant to tree beside it. No other visible defects.	Cut ivy.	Retain	B3	20-30	80	7	0.5,0.5,0.5,0.5
744	<i>Thuja cv</i> Arborvitae	Early Mature	Good	Multi-stemmed specimen with no visible defects.	Cut ivy.	Retain	B3	20-30	80	7	1,1,0.5,0.5
745	<i>Thuja cv</i> Arborvitae	Early Mature	Good	Multi-stemmed specimen with no visible defects.	Cut ivy.	Retain	B3	20-30	80	7	1,1,0.5,0.5
746	<i>Thuja cv</i> Arborvitae	Early Mature	Good	Multi-stemmed specimen with no visible defects.	Cut ivy.	Retain	B3	20-30	80	7	0.5,0.5,0.5,0.5
747	<i>Thuja cv</i> Arborvitae	Early Mature	Good	Multi-stemmed specimen with no visible defects.	Cut ivy.	Retain	B3	20-30	80	7	0.5,0.5,0.5,0.5
748	<i>Thuja cv</i> Arborvitae	Early Mature	Good	Multi-stemmed specimen with no visible defects.	Cut ivy.	Retain	B3	20-30	80	7	0.5,0.5,0.5,0.5
749	<i>Ilex aquifolium</i> Holly	Early Mature	Good	Twin stemmed tree from half a meter. Crown is abutting wall of convent. No visible defects.	No action necessary.	Retain	B2	>40	120	8	0.5,2,3,1
750	<i>Salix caprea 'pendula'</i> Weeping pussy willow	Young	Good	Straight stemmed tree which is well maintained with vigorous canopy and no visible defects.	No action necessary.	Retain	B2	>40	80	2	1,1,1,1
751	<i>Pinus contorta</i> Lodgepole pine	Young	Good	Young tree with single straight stem and no visible defects.	No action necessary.	Retain	B1	>40	80	4	1.5,1.5,2,1
752	<i>Aesculus hippocastanum</i> Horse chestnut	Mature	Good	Canopy displays mottled leaves, browned and curling indicating leaf blotch (<i>Guignardia aesculi</i>). Otherwise vigorous canopy. There are multiple areas of decay on stem which extend into the centre of stem these appear extensive and our likely habitat for bats. These are situated at approximately one and a half meters north.	Conduct resistograph or tomograph test to determine extent of decay.	Remove	B3	15-20	800	16	6,6,6,6
753	<i>Aesculus hippocastanum</i> Horse chestnut	Mature	Fair	Tree located approximately 600mm from boundary wall at roadside. Multiple areas of dysfunction at points of limb removal throughout canopy.	No action necessary.	Retain	C1	15-20	620	16	3,3,3,3
754	<i>Aesculus hippocastanum</i> Horse chestnut	Mature	Good	Canopy is full good figure of leaves but signs of early browning and curling may indicate leaf blotch (<i>Guignardia aesculi</i>).	No action necessary.	Retain	B3	20-30	500	14	3,4,5,4,3
755	<i>Aesculus hippocastanum</i> Horse chestnut	Mature	Fair	Canopy displays early browning and curling of leaves indicating possible leaf blotch (<i>Guignardia aesculi</i>). Strong ivy cover present on stem obscuring view for assessment.	Cut ivy.	Retain	B3	20-30	800	16	3,4,3,2

Tag Number	Species Name	Age Class	Vigour	Comments	Preliminary Recommendations	Retain/Remove for Development	Category	Longterm Potential	DBH (mm)	Height (m)	Spread (m) N, E, S, W
756	<i>Quercus robur</i> Pedunculate oak	Mature	Good	Oak tree with 85 degree lean to east. Strong ivy and bindweed growth on stem and in lower canopy. Minor limb breakage in low canopy to north likely caused by machine activity within field. No other visible defects.	Cut ivy.	Remove	B2	>40	300	12	3,4,4,2
757	<i>Tilia x europaea</i> Common Lime	Mature	Good	Very vigorous tree with overgrowth of briar and ivy at base obscuring view for assessment. Basal suckers present. No other visible defects.	Cut ivy.	Retain	B3	30-40	750	16	4,4,4,3
758	<i>Fagus sylvatica</i> Beech	Mature	Good	Multi-stemmed tree with strong ivy cover from base into upper canopy obscuring view for assessment, otherwise no visible defects.	Cut ivy.	Remove	B1	>40	600	15	6,4,3,4
759	<i>Fraxinus excelsior</i> Ash	Mature	Good	Multi-stemmed ash from base with very strong ivy cover present on stem into upper canopy which obscures view for assessment. At present no signs of Ash die back disease.	Cut ivy.	Remove	B1	>40	600	18	4,4,5,4
760	<i>Betula pendula</i> Birch	Mature	Good	Straight stemmed tree with no visible defects.	No action necessary.	Remove	A3	>40	400	18	4,4,4,4
761	<i>Fraxinus excelsior</i> Ash	Mature	Fair	Straight stemmed tree with overall good condition.	No action necessary.	Remove	B3	15-20	280	16	3,4,4,3
762	<i>Aesculus hippocastanum</i> Horse chestnut	Mature	Good	Multi-stemmed tree from base situated in close proximity to boundary wall. Strong ivy cover present throughout stem obscuring view for assessment. Canopy is vigorous although there are early browning and curling of leaves possibly indicating leaf blotch (<i>Guignardia aesculi</i>).	Cut ivy.	Retain	B3	20-30	800	14	5,5,4,3
763	<i>Pinus sylvestris</i> Scots pine	Mature	Fair	Stem is ivy covered. Top has failed about 8m from original canopy top. Large hanger is now present. Limited canopy remains	Remove hanger.	Remove	C3	20-30	400	10	2,3,1,0
764	<i>Betula pendula</i> Birch	Mature	Good	Straight stemmed tree with no visible defects.	No action necessary.	Remove	B1	>40	300	12	3,3,3,3
765	<i>Prunus domestica</i> Plum	Mature	Good	Well developed tree with no visible defects.	No action necessary.	Retain	B1	>40	500	8	5,4,4,3
766	<i>Platanus x hispanica</i> London plane	Mature	Good	Multi-stemmed tree from base. Areas of limb breakage to east and areas of dysfunctional wood at limb tear to west otherwise good form.	Dead wood.	Retain	C1	20-30	300	10	5,4,4,4
767	<i>Prunus domestica</i> Plum	Mature	Good	Plum tree with strong ivy growth covering stem and obscuring view into upper canopy. Small elder shrub is competing with tree to west.	Cut ivy.	Retain	C1	20-30	300	6	3,3,3,2
768	<i>Tilia x europaea</i> Common Lime	Mature	Good	Mature lime tree with strong ivy present on stem and basal suckers at base. No visible defects.	Cut ivy.	Retain	A3	>40	600	20	5,6,6,5
769	<i>Prunus domestica</i> Plum	Mature	Good	Mature plum with multiple stems and strong briar growth at base and into lower canopy. Otherwise no visible defects.	No action necessary.	Retain	B1	>40	500	12	4,4,4,3
770	<i>Acer platanoides</i> Norway maple	Mature	Good	Mature tree with area of dysfunctional wood to north at location where limb has been removed. Otherwise no visible defects.	No action necessary.	Retain	B2	>40	400	12	4,5,4,4
771	<i>Prunus domestica</i> Plum	Mature	Good	Mature specimen which has a well-formed canopy and no visible defects.	No action necessary.	Retain	B1	>40	500	8	4,3,4,4
772	<i>Populus tremula</i> Aspen	Mature	Good	Large multi-stemmed tree with ivy growth strong from base into lower canopy. No visible defects.	Cut ivy.	Retain	A3	>40	900	20	7,6,6,6