

Tag Number	Species Name	Age Class	Vigour	Comments	Preliminary Recommendations	Retain/Remove for Development	Category	Longterm Potential	DBH (mm)	Height (m)	Spread (m) N, E, S, W
672	<i>xCupressocyparis leylandii</i> Leyland cypress	Early Mature	Fair	Multi-stemmed from base with typical light-suppressed branches in the lower canopy and some crude pruning cuts there as well, with limited dysfunctional wood. Ivy growth is strong at the base, with a single strong vine extending into the canopy.	Cut ivy	Retain	B3	20-30	400	10	3.4.4.3
673	<i>Acer pseudoplatanus</i> cv Sycamore	Early Mature	Good	Straight-stemmed tree situated beside the driveway. Light damage to the base due to strimming and mowing. Crude pruning cuts to lower branches. No other visible defects.	No action necessary	Remove	B3	20-30	250	8	3.4.4.3
674	<i>Fagus sylvatica 'Purpurea'</i> Copper beech	Early Mature	Good	Straight-stemmed tree with a sparse canopy at the top of the leading stem. Some minor damage to the base from strimming and mowing; otherwise, a healthy canopy with no other visible defects.	No action necessary	Retain	B2	30-40	320	11	5.4.4.5
675	<i>xCupressocyparis leylandii</i> Leyland cypress	Early Mature	Good	lobular tree with strong ivy growth at the base. No visible defects.	Cut ivy	Retain	B3	20-30	640	10	2.3.3.3
676	<i>Acer</i> Silver maple	Early Mature	Good	Stem leaning to the east at approximately 85 degrees. Light strimmer/mower damage to the base. Insect gall present on the leaf. Crown suppressed to the south by <i>Leylandii</i> . No other visible defects.	No action necessary	Retain	B3	30-40	350	11	5.5.3.2
677	<i>Liriodendron tulipifera</i> Tulip tree	Early Mature	Good	Straight-stemmed, subdominant tree. No visible defects.	No action necessary	Retain	B3	30-40	160	9	3.2.1.2
678	<i>Prunus</i> cv Cherry cultivar	Early Mature	Poor	Mower/trimmer damage to large woody roots at the surface. Large cavity with extensive deadwood to the south, beginning at the base and extending for 0.5m. Considerable deadwood in the canopy. Limited leaf cover almost exclusively to the north.	Fell	N/A	U	<10	390	10	5.3.3.4
679	<i>Prunus</i> cv Cherry cultivar	Early Mature	Fair	Straight-stemmed tree with mower damage to surface roots and limited leaf cover in the canopy. Remaining leaves exhibit shot holes, possibly indicating a bacterial infection such as <i>Blumeriella</i> .	No action necessary	Retain	C3	15-20	320	9	6.6.4.5
680	<i>Corylus avellana 'Contorta'</i> Contorted hazel	Mature	Dead	Only basal suckers are present.	Fell	N/A	U	0	250	4.25	2.5.1.1.2.5
681	<i>Ilex aquifolia</i> cv Variegated holly	Mature	Good	A well-developed specimen with no visible defects.	No action necessary	Retain	B2	15-20	300	4.5	1.5.1.5.1.5.1.5
682	<i>Ilex aquifolia</i> cv Variegated holly	Early Mature	Good	A well-developed specimen of shrub proportions. Canopy full to the base, except on the eastern side where shrubs are limiting growth.	No action necessary	Retain	B2	15-20	200	4	2.1.2.2
683	<i>Crataegus monogyna</i> Hawthorn	Mature	Very Poor	Very sparse foliage over the majority of the canopy, indicating decline. Considered unlikely to recover.	Fell	N/A	U	<10	275	4.5	2.3.3.3
684	<i>Sorbus aria</i> Swedish whitebeam	Mature	Good	A well-developed specimen with a slightly congested crown. Trunk is multi-stemmed from 1.5m. Upper canopy slightly suppressed to the west by neighboring vegetation.	No action necessary	Retain	B2	20-30	250	8	3.3.5.3.2

Tag Number	Species Name	Age Class	Vigour	Comments	Preliminary Recommendations	Retain/Remove for Development	Category	Longterm Potential	DBH (mm)	Height (m)	Spread (m) N, E, S, W
685	<i>Chamaecyparis cv</i> Golden cypress cultivar	Early Mature	Good	A well-developed specimen with the lower canopy suppressed by neighboring shrubs.	No action necessary	Retain	B2	20-30	250	5.5	2.2.3.2
686	<i>Betula cv</i> Birch cultivar	Mature	Dead		Fell	N/A	U	0	220	2.5	2.2.2.2
687	<i>Acer platanoides 'Crimson King'</i> Purple-leaved Norway maple	Early Mature	Good	A well-developed specimen within a shrub area. No visible defects.	No action necessary	Remove	B2	30-40	250	7	3.3.2.4
688	<i>Thuja cv</i> Western red cedar cultivar	Mature	Good	A well-developed conical specimen with a full canopy to ground level. No visible defects.	No action necessary	Remove	B2	30-40	220	6	2.2.2.2
689	<i>Acer pseudoplatanus</i> Sycamore	Mature	Good	A well-developed specimen likely to be self-seeded. Becoming swamped by clematis. Low canopy form with trunk multi-stemmed from 1.25m.	Cut clematis	Retain	B2	40	450	9	5.5.4.5.4.5
690	<i>Cupressus cv</i> Cypress cultivar	Early Mature	Good	A well-developed self-seeded specimen with no visible defects.	No action necessary	Remove	B2	40	210	4.5	2.2.2.2
691	<i>Acer pseudoplatanus</i> Sycamore	Early Mature	Good	A self-seeded specimen with a trunk multi-stemmed from 300mm. Minor branch congestion present with occasional tight unions between stems. Full canopy to ground level.	No action necessary	Retain	B2	40	350	8	4.3.3.5.3.5